



LEARN TOGETHER

'Let's learn to enjoy, achieve, respect and nurture together'

7th March 2018

Dear Parent

Public Health Wales have written to schools to inform us that they have received an increase in notifications of scarlet fever. The following advice has been issued:

Although scarlet fever is usually a mild illness, it should be treated with antibiotics to reduce the risk of complications and spread to others. **The symptoms of scarlet fever include a sore throat, headache, fever, nausea and vomiting. This is usually followed by a fine red rash, which typically first appears on the chest and stomach, rapidly spreading to other parts of the body.** On more darkly pigmented skin, the scarlet rash may be harder to spot, but it should feel like 'sandpaper'. The face can be flushed red but pale around the mouth.

If you think you, or your child, have scarlet fever:

- See your GP or contact NHS Direct 0845 46 47 as soon as possible
- Make sure that you/your child takes the full course of any antibiotics prescribed by the doctor.
- Stay at home, away from nursery, school or work for at least 24 hours after starting the antibiotic treatment, to avoid spreading the infection.

Treatment is straightforward and usually involves a course of penicillin antibiotics.

Complications

Children who have had chickenpox recently are more likely to develop more serious infection during an outbreak of scarlet fever and so parents should remain vigilant for symptoms such as a persistent high fever, cellulitis (skin infection) and arthritis (joint pain and swelling). If you are concerned for any reason please seek medical help immediately.

If your child has an underlying condition which affects their immune system, you should contact your GP or hospital doctor to discuss whether any additional measures are needed.

Yours faithfully,

Mrs Edwards
Headteacher / Pennaeth